


TECHNICAL CHARACTERISTICS

STORAGE TANK WITH FLOATING TOP

LEGENDE – CLASS ACCESSORIES

8	Supporting legs AISI 304
11	Level indicator outlet pipe
12	Level indicator
13	Ball valve for partial draining AISI 304
16	Supporting pipe for full draining
17	Ball valve for full draining AISI 304
18	Raising lugs
27	Manufacturer Plate
29	Sample groups hence
63	Hand Pump for air chamber – floating top
64	Floating top
69	Supporting floating top



(* Finishing plate: 2B

CAPACITY		Diameter Tank	HEIGHT				THICKNESS (*)		Valve Ø
Nom.	Real		Cylinder HC	Bottom F	Legs G	TOT Ht	Ferrules	Bottom	
hl	hl	mm	mm	mm	mm	mm	mm	mm	
7	7,79	980	1000	100	380	1630	1,2	1,2	30
10	11,60	980	1500	100	380	2130	1,2	1,2	30
14	14,40	1194	1250	120	470	1970	1,5	1,5	40
20	20,60	1194	1800	120	470	2520	1,5	1,5	40
25	25,60	1194	2250	120	470	2970	1,5	1,5	40
30	30,60	1433	1850	140	600	2700	1,5	1,5	40
40	40,90	1592	2000	160	600	2850	1,5	1,5	40
50	50,80	1592	2500	160	600	3350	1,5	2,0	40
60	60,80	1592	3000	160	600	3850	1,5	2,0	50
80	81,70	2000	2500	300	600	3350	1,5	2,0	50
100	105,20	2000	3250	300	600	4100	1,5	2,0	50
150	157,60	2200	4000	440	750	5000	1,5	2,5	60